

# THERMOCOLL

(REGULATION (EC) n° 1907/2006 - REACH)

## 1. IDENTIFICATION OF THE SUBSTANCE AND COMPANY

### 1.1 product identifier

Name: Thermocoll

### 1.2 relevant identified uses of the substance or mixture and used advised against

N/A

### 1.3 identification of the suppliers

#### INSULCON N.V.

Haverheidelaan 4  
B-9140 TEMSE, Belgium  
Tel. : + 32 (0)3 711.02.78  
Fax : + 32 (0)3 711.08.56  
Internet : [www.insulcon.com](http://www.insulcon.com)  
E-mail : [insulconnv@insulcon.com](mailto:insulconnv@insulcon.com)

#### INSULCON B.V.

The Netherlands  
Tel.: +31 (0)167-565750

#### INSULCON GMBH

Germany  
Tel.: +49 (0)2131 408548-0

## 2. HAZARDS IDENTIFICATION

### 2.1. Classification of the substance or mixture

In compliance with EC regulation No. 1272/2008 and its amendments.

Eye irritation, Category 2 (Eye Irrit. 2, H319).

The mixture does not present a physical hazard. Refer to the recommendations regarding the other products present on the site.

This mixture does not present an environmental hazard. No known or foreseeable environmental damage under standard conditions of use.

### 2.2. Label elements

In compliance with EC regulation No. 1272/2008 and its amendments.

#### Hazard pictograms:

GHS07



#### Signal Word:

WARNING

#### Hazard Statements:

H319 Causes serious eye irritation

#### Precautionary statements – General:

P101 If medical advice is needed, have product container or label at hand.  
P102 Keep out of reach of children.

#### Precautionary statements – Prevention:

P264 Wash hands thoroughly after handling.  
P280 Wear protective gloves/ protective clothing/ eye protection/ face protection.

Insulcon B.V.- The Netherlands - Tel: +31 (0)167 565 750

Insulcon GmbH - Germany - Tel: +49 (0)2131 408548-0

Keramab N.V. – Belgium - Tel: +32 (0)3 711 02 78

**INSULCON**

LEADER IN HIGH TEMPERATURE SOLUTIONS

**KERAMAB**

LEADER IN HIGH TEMPERATURE SOLUTIONS

[www.insulcon.com](http://www.insulcon.com) / [www.keramab.com](http://www.keramab.com)

Form: C5-016  
Effective: 21012022/ES/ka  
Supersedes: 1005201/ES/ka  
All rights Reserved.  
LD: G160711

# THERMOCOLL

## Precautionary statement – Response:

P305 + P351+P338 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses. If present and easy to do. Continue rinsing.  
P337 + P313 If eye irritation persists: Get medical advice/attention.

## 2.3. Other hazards

The mixture does not contain substances classified as “Substance of Very High Concern” (SVHC)  $\geq 0.1\%$  published by the European Chemicals Agency (ECHA) under article 57 of REACH: <http://echa.europa.eu/fr/candidate-list-table>.

The mixture satisfies neither the PBT nor the vPvB criteria for mixtures in accordance with annexe XIII of the REACH regulations EC 1907/2006.

## 3. COMPOSITION / INFORMATION ON INGREDIENTS

### 3.2. MIXTURES

#### Composition :

Identification	(EC) 1272/2008	Note	%
CAS: 1332-58-7 EC: 310-194-1  KAOLIN		(1)	$25 \leq x \% < 50$
CAS: 1408-60-7 EC: 238-878-4  QUARTZ		(1)	$10 \leq x \% < 25$
INDEX: 011-002-00-6 EC: 215-185-5 REACH: 01-2119457892-27  SODIUM HYDROXIDE	GHS05 Dgr Skin Corr. 1A, H314	(1)	$0 \leq x \% < 1$
INDEX: 14808607 EC: 278-878-4  QUARTZ ALVEOLAIRE	GHS08 Dgr STOT RE 2, H372	(1)	$0 \leq x \% < 2.5$
CAS: 1333-86-4 EC: 215-609-9  NOIR DE CARBONE, AMORPH		(1)	$0 \leq x \% < 1$

(Full text of H-phrases: see section 16)

#### Information on ingredients:

(1) Substance for which maximum workplace exposure limits are available.

Insulcon B.V. - The Netherlands - Tel: +31 (0)167 565 750  
Insulcon GmbH - Germany - Tel: +49 (0)2131 408548-0  
Keramab N.V. – Belgium - Tel: +32 (0)3 711 02 78

**INSULCON**

LEADER IN HIGH TEMPERATURE SOLUTIONS

**KERAMAB**

LEADER IN HIGH TEMPERATURE SOLUTIONS

[www.insulcon.com](http://www.insulcon.com) / [www.keramab.com](http://www.keramab.com)

Form: C5-016  
Effective: 21012022/ES/ka  
Supersedes: 1005201/ES/ka  
All rights Reserved.  
LD: G160711

# THERMOCOLL

## 4. FIRST AID MEASURES

As a general rule, in case of doubt or if symptoms persist, always call a doctor.  
NEVER induce swallowing by an unconscious person.

### 4.1. Description of first aid measures

#### In the event of splashes or contact with eyes:

Wash thoroughly with soft, clean water for 15 minutes holding the eyelids open. If there is any redness, pain or visual impairment, consult an ophthalmologist.

#### In the event of splashes or contact with skin :

Remove contaminated clothing and wash the skin thoroughly with soap and water or a recognised cleaner. Watch out for any remaining product between skin and clothing, watches, shoes, etc. If the contaminated area is widespread and/or there is damage to the skin, a doctor must be consulted or the patient transferred to hospital

#### In the event of swallowing:

In the event of swallowing, if the quantity is small (no more than one mouthful), rinse the mouth with water and consult a doctor.

Keep the person exposed at rest. Do not force vomiting.

Seek medical attention, showing the label.

If swallowed accidentally, call a doctor to ascertain whether observation and hospital care will be necessary. Show the label

### 4.2. Most important symptoms and effects, both acute and delayed

No data available.

### 4.3. Indication of any immediate medical attention and special treatment needed

No data available.

## 5. FIRE-FIGHTING MEASURES

Non-flammable.

### 5.1. Extinguishing media

#### Suitable methods of extinction

In the event of a fire, use :

- sprayed water or water mist
- foam
- multipurpose ABC powder
- BC powder
- carbon dioxide (CO<sub>2</sub>)

Unsuitable methods of extinction

In the event of a fire, do not use :

- water jet

# THERMOCOLL

## 5.2. Special hazards arising from the substance or mixture

A fire will often produce a thick black smoke. Exposure to decomposition products may be hazardous to health.

Do not breathe in smoke.

In the event of a fire, the following may be formed :

- carbon monoxide (CO)
- carbon dioxide (CO<sub>2</sub>)

## 5.3. Advice for firefighters

No data available.

## 6. ACCIDENTAL RELEASE MEASURES

### 6.1. Personal precautions, protective equipment and emergency procedures

Consult the safety measures listed under headings 7 and 8.

#### For non first aid worker

Avoid any contact with the skin and eyes.

#### For first aid worker

First aid workers will be equipped with suitable personal protective equipment (See section 8).

### 6.2. Environmental precautions

Contain and control the leaks or spills with non-combustible absorbent materials such as sand, earth, vermiculite, diatomaceous earth in drums for waste disposal.

Prevent any material from entering drains or waterways.

### 6.3. Methods and material for containment and cleaning up

Clean preferably with a detergent, do not use solvents.

### 6.4. Reference to other sections

No data available.

## 7. HANDLING AND STORAGE

Requirements relating to storage premises apply to all facilities where the mixture is handled.

### 7.1. Precautions for safe handling

Always wash hands after handling.

Remove and wash contaminated clothing before re-using.

Ensure that there is adequate ventilation, especially in confined areas.

#### Fire prevention:

Handle in well-ventilated areas.

Prevent access by unauthorized personnel.

# THERMOCOLL

## Recommended For personal protection, see section 8.

For personal protection, see section 8.

Observe precautions stated on label and also industrial safety regulations.

Avoid skin and eye contact with this mixture.

## Prohibited equipment and procedures :

No smoking, eating or drinking in areas where the mixture is used..

## 7.2. Conditions for safe storage, including any incompatibilities

No data available.

## Storage

Keep out of reach of children.

Keep the container tightly closed in a dry, well-ventilated place.

The floor must be impermeable and form a collecting basin so that, in the event of an accidental spillage, the liquid cannot spread beyond this area.

## Packaging

Always keep in packaging made of an identical material to the original.

## 7.3. Specific end use(s)

No data available.

## 8. EXPOSURE CONTROLS / PERSONAL PROTECTION

### 8.1. Control parameters

#### Occupational exposure limits:

- ACGIH TLV (American Conference of Governmental Industrial Hygienists, Threshold Limit Values, 2010) :

CAS	TWA	STEL	Ceiling	Definition	Criteria
1332-58-7	2 (E,R) mg/m <sup>3</sup>			A4	
14808-60-7	0.05 mg/m <sup>3</sup>	-	-	-	R
1310-73-2			2 mg/m <sup>3</sup>		
14808-60-7	0.05 mg/m <sup>3</sup>	-	-	-	R
1333-86-4	3 (I) mg/m <sup>3</sup>			A3	

- France (INRS - ED984 :2016) :

CAS	VME-ppm	VME-mg/m <sup>3</sup>	VLE-ppm	VLE-mg/m <sup>3</sup>	Notes	TMP No
1332-58-7	-	10	-	-	-	25
14808-60-7	-	0.1 A	-	-	-	25
1310-73-2	-	2	-	-	-	-
14808-60-7	-	0.1 A	-	-	-	25
1333-86-4	-	3.5	-	-	-	-

## THERMOCOLL

### UK / WEL (Workplace exposure limits, EH40/2005, 2011) :

CAS	TWA	STEL	Ceiling	Definition	Criteria :
1332-58-7	- ppm 2 mg/m <sup>3</sup>	- ppm - mg/m <sup>3</sup>			
14808-60-7	0.3 mg/m <sup>3</sup>	-	-	-	R
1310-73-2	- ppm - mg/m <sup>3</sup>	- ppm 2 mg/m <sup>3</sup>			
14808-60-7	0.3 mg/m <sup>3</sup> - - - R				
1333-86-4	- ppm 3,5 mg/m <sup>3</sup>	- ppm 7 mg/m <sup>3</sup>			

### 8.2. Exposure controls

Personal protection measures, such as personal protective equipment

#### 8.2. EXPOSURE CONTROLS

Personal protection measures, such as personal protective equipment

Pictogram(s) indicating the obligation of wearing personal protective equipment (PPE):



Use personal protective equipment that is clean and has been properly maintained.  
Store personal protective equipment in a clean place, away from the work area.  
Never eat, drink or smoke during use. Remove and wash contaminated clothing before re-using.  
Ensure that there is adequate ventilation, especially in confined areas.

#### - Eye / face protection

Avoid contact with eyes.  
Use eye protectors designed to protect against liquid splashes.  
Before handling, wear safety goggles with protective sides accordance with standard EN166.  
In the event of high danger, protect the face with a face shield.  
Prescription glasses are not considered as protection.

Individuals wearing contact lenses should wear prescription glasses during work where they may be exposed to irritant vapours.

Provide eyewash stations in facilities where the product is handled constantly.

#### - Hand protection

Wear suitable protective gloves in the event of prolonged or repeated skin contact.  
Use suitable protective gloves that are resistant to chemical agents in accordance with standard EN374. Gloves must be selected according to the application and duration of use at the workstation.  
Protective gloves need to be selected according to their suitability for the workstation in question : other chemical products that may be handled, necessary physical protections (cutting, pricking, heat protection), level of dexterity required.

# THERMOCOLL

Type of gloves recommended:

- Nitrile rubber (butadiene-acrylonitrile copolymer rubber (NBR))

Recommended properties:

- Impervious gloves in accordance with standard EN374

## - Body protection

Work clothing worn by personnel shall be laundered regularly.

After contact with the product, all parts of the body that have been soiled must be washed.

## 9. PHYSICAL AND CHEMICAL PROPERTIES

### 9.1. Information on basic physical and chemical properties

#### General information:

Physical state: Viscous liquid

#### Important health, safety and environmental information

pH:	Not relevant
Boiling point/boiling range:	not relevant.
Flash point interval:	not relevant.
Vapour pressure (50°C):	not relevant.
Density:	>1
Water solubility:	Insoluble.
Melting point/melting range:	not relevant.
Self-ignition temperature:	not relevant.
Decomposition point/decomposition range:	not relevant.

### 9.2. Other information

No data available.

## 10. STABILITY AND REACTIVITY

### 10.1. Reactivity

No data available.

### 10.2. Chemical stability

This mixture is stable under the recommended handling and storage conditions in section 7.

### 10.3. Possibility of hazardous reactions

When exposed to high temperatures, the mixture can release hazardous decomposition products, such as carbon monoxide and dioxide, fumes and nitrogen oxide.

### 10.4. Conditions to avoid

No data available

### 10.5. Incompatible materials

No data available

Insulcon B.V.- The Netherlands - Tel: +31 (0)167 565 750

Insulcon GmbH - Germany - Tel: +49 (0)2131 408548-0

Keramab N.V. – Belgium - Tel: +32 (0)3 711 02 78

**INSULCON**

LEADER IN HIGH TEMPERATURE SOLUTIONS

**KERAMAB**

LEADER IN HIGH TEMPERATURE SOLUTIONS

[www.insulcon.com](http://www.insulcon.com) / [www.keramab.com](http://www.keramab.com)

Form: C5-016

Effective: 21012022/ES/ka

Supersedes: 1005201/ES/ka

All rights Reserved.

LD: G160711

# THERMOCOLL

## **10.6. Hazardous decomposition products**

The thermal decomposition may release/form:

- carbon monoxide (CO)
- carbon dioxide (CO<sub>2</sub>)

## **11. TOXICOLOGICAL INFORMATION**

### **11.1. Information on toxicological effects**

May have reversible effects on the eyes, such as eye irritation which is totally reversible by the end of observation at 21 days.

Splashes in the eyes may cause irritation and reversible damage

#### **11.1.1. Substances**

No toxicological data available for the substances.

#### **11.1.2. Mixture**

No toxicological data available for the mixture.

#### **11.1.2. Mixture**

Skin corrosion/skin irritation :

Corrosivity: No observed effect.

Species: Reconstructed human epidermis

OECD Guideline 431 (In Vitro Skin Corrosion: Human Skin Model Test)

**Monograph(s) from the IARC (International Agency for Research on Cancer) :**

CAS 14808-60-7 : IARC Group 1 : The agent is carcinogenic to humans.

## **12. ECOLOGICAL INFORMATION**

### **12.1. Toxicity**

#### **12.1.2. Mixtures**

No aquatic toxicity data available for the mixture.

### **12.2. Persistence and degradability**

No data available.

### **12.3. Bioaccumulative potential**

No data available.

### **12.4. Mobility in soil**

No data available.

### **12.5. Results of pbt and vpvb assessment**

No data available.

### **12.6. Other adverse effects**

No data available.

Insulcon B.V.- The Netherlands - Tel: +31 (0)167 565 750

Insulcon GmbH - Germany - Tel: +49 (0)2131 408548-0

Keramab N.V. – Belgium - Tel: +32 (0)3 711 02 78

**INSULCON**

LEADER IN HIGH TEMPERATURE SOLUTIONS

**KERAMAB**

LEADER IN HIGH TEMPERATURE SOLUTIONS

[www.insulcon.com](http://www.insulcon.com) / [www.keramab.com](http://www.keramab.com)

Form: C5-016

Effective: 21012022/ES/ka

Supersedes: 1005201/ES/ka

All rights Reserved.

LD: G160711

# THERMOCOLL

## 13. DISPOSAL CONSIDERATIONS

Proper waste management of the mixture and/or its container must be determined in accordance with Directive 2008/98/EC.

### 13.1. Waste treatment methods

Do not pour into drains or waterways.

#### Waste :

Waste management is carried out without endangering human health, without harming the environment and, in particular without risk to water, air, soil, plants or animals. Recycle or dispose of waste in compliance with current legislation, preferably via a certified collector or company. Do not contaminate the ground or water with waste, do not dispose of waste into the environment.

#### Soiled packaging :

Empty container completely. Keep label(s) on container.

Give to a certified disposal contractor.

## 14. TRANSPORT INFORMATION

Exempt from transport classification and labelling.

### 14.1. UN number

-

### 14.2. UN proper shipping name

-

### 14.3. Transport hazard class(es)

-

### 14.4. Packing group

-

### 14.5. Environmental hazards

-

### 14.6. Special precautions for user

## 15. REGULATORY INFORMATION

### 15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

#### - Classification and labelling information included in section 2:

The following regulations have been used:

- EU Regulation No. 1272/2008 amended by EU Regulation No. 2018/669 (ATP 11)

#### - Container information:

No data available.

#### - Particular provisions :

No data available.

# THERMOCOLL

## 16. OTHER INFORMATION

Since the user's working conditions are not known by us, the information supplied on this safety data sheet is based on our current level of knowledge and on national and community regulations. The product must not be used for any purposes other than those specified under heading 1 without first obtaining written handling instructions.

It is at all times the responsibility of the user to take all necessary measure to comply with legal requirements and local regulations.

The information given on this safety data sheet must be regarded as a description of the safety requirement relating to the mixture and not a guarantee of the properties thereof.

### Wording of the phrases mentioned in section 3 :

H314 Causes severe skin burns and eye damage.

H373 May cause damage to organs through prolonged or repeated exposure .

### Abbreviations :

ADR : European agreement concerning the international carriage of dangerous goods by Road.

IMDG : International Maritime Dangerous Goods.

IATA : International Air Transport Association.

ICAO : International Civil Aviation Organisation

RID : Regulations concerning the International carriage of Dangerous goods by rail.

WGK : Wassergefahrdungsklasse (Water Hazard Class).

GHS07 : Exclamation mark

PBT: Persistent, bioaccumulable and toxic.

vPvB : Very persistent, very bioaccumulable.

SVHC : Substances of very high concern.