According to: (EC) No 1907/2006 and (EC) No 1272/2008

#### **1. IDENTIFICATION OF THE SUBSTANCE AND OF THE COMPANY**

#### 1.1. Product identifier

Trade name : Insulfrax Modules, Insulfrax Blankets, Insulfrax Textiles

Type of product:

O

ഗ

ш

സ്

 $\checkmark$ 

മ

ш

⊡ ∑

ш

വ

с Ш

 $\cap$ 

 $\triangleleft$ 

ш

This product is an article under the REACH definition. As the Classification and labelling regulations (CLP) strictly applies to substances and mixtures it does not make provision for articles. However this product SDS and the defined labelling is provided voluntarily. As a duty of care to the user.

#### 1.2. Relevant identified uses of the substance or mixture and uses advised against

#### 1.2.1. Relevant identified uses

Use of the substance/mixture : Article For industrial use within high temperature applications.

#### 1.2.2. Uses advised against

No additional information available

# **1.3. Identification of the company INSULCON B.V.** The Netherlands

The Netherlands Tel. : +31 (0)167-565750 Fax : +31 (0)167-566263 Zilverhoek 4, 4651 SP STEENBERGEN www.insulcon.com **INSULCON N.V.** Belgium Tel. : + 32 (0)3 711.02.78 **INSULCON GMBH** Germany Tel.: +49 (0)2131 408548-0

# \_\_\_\_\_

# 2. HAZARDS IDENTIFICATION

## 2.1. Classification of the substance or mixture

Classification according to Regulation (EC) No. 1272/2008 [CLP] Not classified

Adverse physicochemical, human health and environmental effects This product is an article and has not to be classified and labelled according to the current laws and regulations. A safety data sheet is not required for this product under Article 31 of REACH. This Product Safety Information Sheet has been created on a voluntary basis.

## 2.2. Label elements

info@insulcon.com

Labelling according to Regulation (EC) No. 1272/2008 [CLP] Extra phrases : This product is an article and has not to be classified and labelled according to the current laws and regulations.

Insulcon B.V.- The Netherlands - Tel: +31 (0) 167 565750 Insulcon GmbH - Germany - Tel: +49 (0) 2131 408548-0 Insulcon N.V. - Belgium - Tel: +32 (0) 3 711 02 78 Insulcon Projects S.A. - Switzerland - Tel: +41 (0) 91911739-0



www.insulcon.com

A safety data sheet is not required for this product under Article 31 of REACH. This Product Safety Information Sheet has been created on a voluntary basis

Voluntary labelling will be added to product to advise as to safe handling and use.

## 2.3. Other hazards

Other hazards not contributing to the classification: May cause mechanical irritation to the skin, eyes and respiratory system.

This substance/mixture does not meet the PBT criteria of REACH regulation, annex XIII This substance/mixture does not meet the vPvB criteria of REACH regulation, annex XIII

#### **3. COMPOSITION / INFORMATION ON INGREDIENTS**

## 3.1.Substances

ഗ

0 ഗ

ш Ж

∢

С Ш

⊡ ∑

ш ⊢

Т С

Ľ

ш

 $\triangleleft$ 

ш

Not applicable

# 3.2. Mixtures

Not applicable

## Comments : Article

All products contain AES wool (synthetic fibres, alkaline earth silicate, CAS 436083-99-7). substance with national workplace exposure limit(s) Modules, Blankets, Textiles are ready to use products in high temperature applications.

## 4. FIRST AID MEASURES

## 4.1. Description of first aid measures

First-aid measures after inhalation:	Fibrous dust may be liberated when handling in use. If irritation to nose and throat, move to fresh air.
First-aid measures after skin contact:	Gently wash with plenty of soap and water.
First-aid measures after eye contact:	Rinse cautiously with water for several minutes. If eye irritation persists: Get medical advice/attention.
First-aid measures after ingestion:	Ingestion unlikely. Drink plenty of water.

**4.2. Most important symptoms and effects, both acute and delayed** Symptoms/effects afterinhalation:mechanical irritation.Symptoms/effects after skin contact:mechanical irritation.

Symptoms/effects after eye contact: mechanical irritation.

**4.3. Indication of any immediate medical attention and special treatment needed** Treat symptomatically

Insulcon B.V.- The Netherlands - Tel: +31 (0) 167 565750 Insulcon GmbH - Germany - Tel: +49 (0) 2131 408548-0 Insulcon N.V. - Belgium - Tel: +32 (0) 3 711 02 78 Insulcon Projects S.A. - Switzerland - Tel: +41 (0) 91911739-0



LEADER IN HIGH TEMPERATURE SOLUTIONS
www.insulcon.com

5. FIRE-FIGHTING MEASURES				
5.1. Extinguishing media				
Suitable extinguishing media	:	The product is not flammable. Use extinguishing media appropriate for surrounding fire. Foam. Dry powder. Carbon dioxide. Water spray.		
Unsuitable extinguishing media	:	Do not use a heavy water stream.		
5.2. Special hazards arising from th No additional information available		nce or mixture		
5.3. Advice for firefighters				
Firefighting instructions	:	Prevent fire fighting water from entering the environment.		
Protection during firefighting	:	Do not enter fire area without proper protective equipment, including respiratory protection.		

#### 6. ACCIDENTAL RELEASE MEASURES

#### 6.1. Personal precautions, protective equipment and emergency procedures

<b>6.1.1. For non-emergency personnel</b> Protective equipment	:	Concerning personal protective equipment to use, see section 8.
Emergency procedures	:	Prohibit unauthorized persons.
<b>6.1.2. For emergency responders</b> Protective equipment	:	Ensure adequate ventilation. Concerning personal protective equipment to use, see section 8.
Emergency procedures	:	Ensure operatives are trained to minimise exposures.

#### 6.2. Environmental precautions

Prevent entry to sewers and public waters. Avoid sub-soil penetration.

:

#### 6.3. Methods and material for containment and cleaning up

Methods for cleaning up

O N S

OLUTI

ഗ

ш Ж

> ⊃ ⊢

TEMPERA

H D H

Z

Ľ

ш

D V

ш

Mechanically recover the product. Minimize generation of dust. High efficiency particulate air filter (HEPA filter).

Insulcon B.V.- The Netherlands - Tel: +31 (0) 167 565750 Insulcon GmbH - Germany - Tel: +49 (0) 2131 408548-0 Insulcon N.V. - Belgium - Tel: +32 (0) 3 711 02 78 Insulcon Projects S.A. - Switzerland - Tel: +41 (0) 91911739-0



www.insulcon.com

## 6.4. Reference to other sections

See Heading 7. See Heading 8. See Heading 13.

7.	н		JD	LIN	G	AN	D	ST	OF	ZΑ	G	F
		~			С.					~	<b>U</b>	-

#### 7.1. Precautions for safe handling

Precautions for safe handling:	Obtain special instructions before use. Avoid contact with skin and
	eyes. Do not eat, drink or smoke when using this product. Clean
	contaminated areas thoroughly. Use personal protective equipment
	as required. Ensure good ventilation of the work station.
Hygiene measures:	Wash hands and other exposed areas with mild soap and water
	before eating, drinking or smoking and when leaving work.

#### 7.2. Conditions for safe storage, including any incompatibilities

Storage conditions: Product must only be kept in the original packaging. Store tightly closed in a dry and cool place.

Prohibitions on mixed storage: Keep away from food, drink and animal feeding stuffs.

#### 7.3. Specific end use(s)

ഗ Z

O ഗ

ш

സ്

∢

R ш

Ω  $\geq$ ш F

Т

വ

Т

Ľ

ш  $\triangleleft$ ш 

For professional users only. See Heading 8.

#### 8. EXPOSURE CONTROL / PERSONAL PROTECTION

#### 8.1. Control parameters

INSULFRAX (436083-99-7)				
AES wool (synthetic fibres, alkaline earth silicate, CAS 436083-99-7) (436083-99-7)				
EU	Observe general threshold limit for dust.			
United Kingdom	Remark (WEL)	2.0 f/ml and 5 mg/m3 (HSE - EH40 – Workplace Exposure Limit)		

#### 8.2. Exposure controls

Hand protection	:	Leather protective gloves
Eye protection	:	Safety glasses with side shields
Skin and body protection	:	Wear suitable protective clothing
Respiratory protection	:	In case of insufficient ventilation, wear suitable
		respiratory equipment. If dust are formed : Short
		torm ovposure (EED2)



term exposure. (FFP2)

#### Other information:

Do not eat, drink or smoke when using this product. Do not take working clothes home. Separate working clothes from town clothes. Launder separately.

Insulcon B.V.- The Netherlands - Tel: +31 (0) 167 565750 Insulcon GmbH - Germany - Tel: +49 (0) 2131 408548-0 Insulcon N.V. - Belgium - Tel: +32 (0) 3 711 02 78 Insulcon Projects S.A. - Switzerland - Tel: +41 (0) 91911739-0



#### 9. PHYSICAL AND CHEMICAL PROPERTIES

#### 9.1. Information on basic physical and chemical properties

9.1. Information on basic physica	l and chem	lical properties
Hand protection	:	protective gloves
Physical state	:	Solid
Appearance	:	Fibres
Colour	:	White / beige
Odour	:	odourless
Odour threshold	:	No data available
рН	:	Not applicable
Relative evaporation rate	:	No data available Melting point : > 1300 °C
(butylacetate=1)		
Freezing point	:	No data available
Boiling point	:	Not applicable
Flash point	:	Not applicable
Auto-ignition temperature	:	No data available
Decomposition temperature	:	No data available
Flammability (solid, gas)	:	No data available
Vapour pressure	:	Not applicable
Relative vapour density at 20 °C	:	No data available
Relative density	:	2.6
Density	:	2.6 g/cm <sup>3</sup>
Solubility	:	Water: < 1 mg/l (fibres)
Log Pow	:	No data available
Log Kow	:	Not applicable
Viscosity, kinematic	:	Not applicable
Viscosity, dynamic	:	Not applicable
Explosive properties	:	No data available
Oxidising properties	:	No data available
Explosive limits	:	No data available
9.2. Other information		
Other properties	:	Length weighted geometric mean diameter of fibres
		contained in the product: 1,9 - 6 $\mu$ m.

#### **10. STABILITY AND REACTIVITY**

#### 10.1. Reactivity

ഗ Z

LUTIO

0 S

TEMPERATURE

Т С –

Т

Ζ

С Ш

D V

ш

Stable under normal conditions of use.

#### 10.2. Chemical stability

The product is stable at normal handling and storage conditions.

Insulcon B.V.- The Netherlands - Tel: +31 (0) 167 565750 Insulcon GmbH - Germany - Tel: +49 (0) 2131 408548-0 Insulcon N.V. - Belgium - Tel: +32 (0) 3 711 02 78 Insulcon Projects S.A. - Switzerland - Tel: +41 (0) 91911739-0



www.insulcon.com

#### 10.3. Possibility of hazardous reactions

No dangerous reactions known.

#### 10.4. Conditions to avoid

No additional information available.

#### 10.5. Incompatible materials

None.

ഗ

Ζ

Ο

S

∪ R E

TEMPERA

Т С

Т

Ζ

С Ш

 $\triangleleft$ 

ш

#### **10.6.** Hazardous decomposition products

Under normal conditions of storage and use, hazardous decomposition products should not be produced.

#### **11. TOXICOLOGICAL INFORMATION**

## 11.1. Information on toxicological effects

Acute toxicity (oral):	Not classified (Based on available data, the classification criteria are not met)
Acute toxicity (dermal):	Not classified (Based on available data, the classification criteria are
not met) Acute toxicity (inhalat	tion): Not classified (Based on available data, the classification criteria are not met)
Skin corrosion/irritation:	Not classified (Based on available data, the classification criteria are not met) pH: Not applicable
Serious eye damage/irritation:	Not classified (Based on available data, the classification criteria are not met) pH: Not applicable
Respiratory or skin sensitisatio	n: Not classified (Based on available data, the classification criteria are not met)
Germ cell mutagenicity:	Not classified (Based on available data, the classification criteria are not met)
Carcinogenicity:	Not classified (Based on available data, the classification criteria are not met)
Reproductive toxicity:	Not classified (Based on available data, the classification criteria are not met)
STOT-single exposure:	Not classified (Based on available data, the classification criteria are not met)
STOT-repeated exposure:	Not classified (Based on available data, the classification criteria are not met)
Aspiration hazard	Not classified (Not relevant)

#### **Other information: Irritant Properties**

When tested using approved methods (Directive 67/548/EC, Annex V, Method B4), fibres contained in this material give negative results. Man made mineral fibres, can produce a mild irritation resulting in itching or rarely, in some sensitive individuals, in slight reddening. Unlike other irritant reactions this is not the result of allergy or chemical skin damage but is caused by a temporary mechanical effect.

Insulcon B.V.- The Netherlands - Tel: +31 (0) 167 565750 Insulcon GmbH - Germany - Tel: +49 (0) 2131 408548-0 Insulcon N.V. - Belgium - Tel: +32 (0) 3 711 02 78 Insulcon Projects S.A. - Switzerland - Tel: +41 (0) 91911739-0



www.insulcon.com

#### **Other Animal Studies**

These materials have been designed to allow rapid clearance from lung tissue. And this low biopersistence has been confirmed in many studies on AES using EU protocol ECB/TM/27(rev 7). When inhaled, even at very high doses, they do not accumulate to any level capable of producing a serious adverse biological effect. In lifetime chronic studies there was no exposure- related effect more than would be seen with any "inert" dust.

## **12. ECOLOGICAL INFORMATION**

## 12.1. Toxicity

ഗ

O

ഗ

ш

ഹ

PERAT

Ы Ш Ц

Т С

Ι

Z

R

ш

А Ш

#### **Ecology - general:**

The product is not considered harmful to aquatic organisms nor to cause long-term adverse effects in the environment.

#### Acute aquatic toxicity:

Not classified (Based on available data, the classification criteria are not met)

#### Chronic aquatic toxicity:

Not classified (Based on available data, the classification criteria are not met)

## 12.2 Persistence and degradability

Insulfrax Modules, Insulfrax Blankets, Insulfrax Textiles		
Persistence and degradability	Not applicable.	

## 12.3 Bioaccumulative potential

Insulfrax Modules, Insulfrax Blankets, Insulfrax Textiles		
Bioaccumulative potential	Not applicable.	

#### 12.4 Mobility in soil

Insulfrax Modules, Insulfrax Blankets, Ir	nsulfrax Textiles
Ecology - soil	Not applicable.

## 12.5 Results of PBT and vPvB assessment

Insulfrax Modules, Insulfrax Blankets, Insulfrax Textiles This substance/mixture does not meet the PBT criteria of REACH regulation, annex XIII This substance/mixture does not meet the vPvB criteria of REACH regulation, annex XIII

## 12.5 Other adverse effects

No additional information available

Insulcon B.V.- The Netherlands - Tel: +31 (0) 167 565750 Insulcon GmbH - Germany - Tel: +49 (0) 2131 408548-0 Insulcon N.V. - Belgium - Tel: +32 (0) 3 711 02 78 Insulcon Projects S.A. - Switzerland - Tel: +41 (0) 91911739-0



LEADER IN HIGH TEMPERATURE SOLUTIONS
www.insulcon.com

#### **13. DISPOSAL CONSIDERATIONS**

Waste treatment methods

Waste treatment methods:

ഗ

Ζ

0

ഗ

TEMPERATURE

Т С

Т

Ζ

LEADER

Disposal must be done according to official regulations. European waste catalogue. Do not allow into drains or water courses.

Sewage disposal recommendations: Product/Packaging disposal recommendations:

Dispose in a safe manner in accordance with local/national regulations.

## **14. TRANSPORT INFORMATION**

In accordance with ADR / RID / IMDG / IATA / ADN

ADR	IMDG	IATA	ADN	RID		
14.1. UN number						
Not applicable	Not applicable	Not applicable	Not applicable	Not applicable		
14.2. UN proper shipping name						
Not applicable	Not applicable	Not applicable	Not applicable	Not applicable		
14.3. Transport hazard class(es)						
Not applicable	Not applicable	Not applicable	Not applicable	Not applicable		
Not applicable	Not applicable	Not applicable	Not applicable	Not applicable		
14.4. Packing group						
Not applicable	Not applicable	Not applicable	Not applicable	Not applicable		
14.5. Environmental hazards						
Dangerous for	Dangerous for	Dangerous for	Dangerous for	Dangerous for the environment		
the environment	the environment	the environment	the environment			
: No	: No Marine	: No	: No	: No		
	pollutant : No					

No supplementary information available

<ul> <li>Overland transport</li> </ul>		
Transport regulations (ADR)	:	Not applicable
- Transport by sea		
Transport regulations (IMDG)	:	Not applicable
- Air transport		
Transport regulations (IATA)	:	Not applicable
<ul> <li>Inland waterway transport</li> </ul>		
Transport regulations (ADN)	:	Not applicable
- Rail transport		
Transport regulations (RID)	:	Not applicable

## **14.7. Transport in bulk according to Annex II of MARPOL 73/78 and the IBC Code** Not applicable

Insulcon B.V.- The Netherlands - Tel: +31 (0) 167 565750 Insulcon GmbH - Germany - Tel: +49 (0) 2131 408548-0 Insulcon N.V. - Belgium - Tel: +32 (0) 3 711 02 78 Insulcon Projects S.A. - Switzerland - Tel: +41 (0) 91911739-0



## **15. REGULATORY INFORMATION**

# **15.1.** Safety, health and environmental regulations/legislation specific for the substance or mixture **15.1.1.** EU-Regulations

Contains no REACH substances with Annex XVII restrictions Contains no substance on the REACH candidate list Contains no REACH Annex XIV substances

## Other information, restriction and prohibition regulations:

This product is an article and has not to be classified and labelled according to the current laws and regulations. A safety data sheet is not required for this product under Article 31 of REACH. This Product Safety Information Sheet has been created on a voluntary basis.

#### 15.1.2. National regulations

No additional information available

#### 15.2. Chemical safety assessment

No chemical safety assessment has been carried out

#### **16. OTHER INFORMATION**

#### Indication of changes:

General revision.

#### Abbreviations and acronyms:

······································			
AND	European Agreement concerning the International Carriage of Dangerous Goods by Inland Waterways		
ADR	European Agreement concerning the International Carriage of Dangerous Goods by		
	Road		
CLP	Classification Labelling Packaging Regulation; Regulation (EC) No 1272/2008		
DNEL	Derived-No Effect Level		
IATA	International Air Transport Association		
IMDG	International Maritime Dangerous Goods		
REACH	Registration, Evaluation, Authorisation and Restriction of Chemicals Regulation (EC) No 1907/2006		
RID	Regulations concerning the International Carriage of Dangerous Goods by Rai		
PBT	Persistent Bioaccumulative Toxic		
vPvB	Very Persistent and Very Bioaccumulative		

#### Data sources:

ECHA (European Chemicals Agency).

Insulcon B.V.- The Netherlands - Tel: +31 (0) 167 565750 Insulcon GmbH - Germany - Tel: +49 (0) 2131 408548-0 Insulcon N.V. - Belgium - Tel: +32 (0) 3 711 02 78 Insulcon Projects S.A. - Switzerland - Tel: +41 (0) 91911739-0



LEADER IN HIGH TEMPERATURE SOLUTIONS www.insulcon.com Form: A1-051.1 Effective: 03012021/ES/ka Supersedes: 25022020/ES/ka All rights Reserved LD: U190430

AFETY DATASH

ഗ

Ζ

 $\bigcirc$ 

ഗ

ш

Ľ

∢

С Ш

TENP

Т С

Т

D E R

4

ш